

DELIS

Altruism “for free” using Tags

David Hales

www.davidhales.com

Department of Computer Science
University of Bologna
Italy



- My background and motivation
- The problem
- A solution: Tags and how they work
- Applying in a P2P using re-wiring rules



Background and Motivation

- Computer Science and A.I
- Agent-Based Social Simulation (ABSS)
- Interest: Emergence of Cooperation (PD)
- Sociologists and engineers - same questions!
- Now: Apply ideas from ABSS to some engineering problems (back to CS!) e.g. open P2P



Consider a system composed of agents that are:

- Autonomous (not externally controllable)
- Selfish (maximise their own utility)
- Greedy (local hill-climb)
- Adaptive (copy other nodes and self-adapt)

How do we get the nodes to cooperative for the good of the network rather than simply free-ride?



The Prisoner's Dilemma

Given: $T > R > P > S$ and $2R > T + S$

		Player 1	
		C	D
Player 2	C	R, R	T, S
	D	T, S	P, P



Ways to get Cooperation

- 3rd party enforcement – expensive, tends to centralisation (Thomas Hobbes 1660)
- Repeated interactions – need repeated interactions & some altruism (Axelrod 1984)
- Fixed lattice interaction – not good for dynamic networks (Nowak & May 1992)
- **Tags – scalable, single round, simple (Holland 1993, Riolo 1997, Hales 2000)**



What are “tags”

- Tags are observable labels, markings, social cues
- They are attached to agents
- Agents interact preferentially with those sharing the same tag – no other function
- John Holland (1992) => tags powerful “symmetry breaking” function in “social-like” processes
- In GA-type interpretation, tags = parts of the genotype reflected directly in the phenotype





An Evolutionary Scenario

- Agents are selfish and greedy
- Copy the behaviors of more successful
- Randomly mutate strategies
- No population structure but....
- Agents preferentially interact with those sharing the same tag



Agents - a Tag and a PD strategy




Tag = (say) Some Integer

Game interaction between those with same tag
(if possible)




How Tags Work




Visualising the Process (Hales 2000)

0250500CoopDefec ■ Coop ■ Defect ■ Mixed Empty



Visualising the Process



Consider a P2P:

- Assume nodes maintain some max. degree
- Node neighbours can be thought of as a group
- Nodes may be good guys, share resources with neighbours, or free-ride, using neighbours resources but not sharing theirs (PD)
- Sharing / free-riding is a Strategy
- The neighbour links (as a whole) a kind of “tag” (if clustering high enough)



- Represent the P2P as a undirected graph
- Assume nodes are selfish and periodically:
 - Play PD with randomly selected neighbour
 - Compare performance to some randomly selected other node
 - If other node is doing better copy its neighbourhood and strategy
 - Mutate strategies and neighbourhood.




- Mutation of view => replace all with single randomly chosen node
- Mutation of strategy = flip the strategy
- Node j copying a more successful node i => replace i view with j's plus j itself
- When maximum degree of a node is exceeded throw away a randomly chosen link




Copying a more successful node

Before



Where A_u = average utility of node A


After




In his case mutation has not changed anything



Random movement in the net



Mutation applied to F's neighbourhood



F is wired to a randomly selected node (B)



The Simulation Cycle

LOOP some number of generations

LOOP for each node (i) in the population N

Select a game partner node (j) randomly from view

If view empty, link to random node i (mutate view)

Agent (i) and (j) invoke their strategies and get appropriate payoff

END LOOP

Select (N / 2) random pairs of nodes (i, j) lower scoring node copies higher scoring node


Apply mutation to view and strategy of each reproduced node with probability m

END LOOP




- Vary N between 4,000..120,000
- Maximum degree 20
- Initial topology random graph (not important)
- Initial strategies all defection (not random)
- Mutation rate $m = 0.001$ (small)
- PD payoffs: $T=1.9$, $R=1$, $P=d$, $S=d$
(where d is a small value)






A few more nodes





A typical run (10,000 nodes)

Neighbour MF = 10



A 100 node example – after 500 generations






Topology Evolution – so far it seems....

- From ANY initial starting topology / strategy mix same outcome (tried random, lattice, small world, all nodes disconnected, all defect, random, all coop)
- Typically a set of unstable components exist - highly internally connected (L not much more than 1 and C very high)
- Constantly reforming and changing due to mutation and replication
- Rough characterisation of disconnectedness = prob. that two random nodes are connected



Typical run, 200 nodes

L / 5, K / 20, CM / 20




- So far robustness tested as effect of mutation – static pop size – try various “churn rates”
- Treats node links as “one chunk” rather than selectively removing links
- Modified form might enhance BitTorrent?




- Simplified form of that given by Q. Sun & H. Garcia-Molina 2004
- Each node has variable giving proportion of capacity (100 units) devoted to generating queries against answering them [0..1]
1=selfish, 0=altruism
- Each node has an answering power (prob. Of making a hit given any query =0.4 fixed)
- Flood fill query method, TTL's etc






A typical run for a 10^4 node network





Results showing number of queries (nq) and number of hits (nh) (averaged over cycle 40..50) for different network sizes (10 individual runs for each network size)





Cycles to high hit values (number of hits $n_h > 30$) for different network sizes (10 runs each)



What's going on?

- A “Socially emergent incentive system” ?
- Selfish myopic behaviour causes nodes to migrate to more cooperative clusters and adopt cooperative strategies.
- Bad guys end-up alone or surrounded by other bad guys.
- *being a bad guy is not a sustainable strategy*
- However, at any given point in time a small number of bad guys are doing “better” than any good guys



- Tag-like dynamics using simple rewiring rules
- Free-riding low even though nodes are selfish
- No knowledge of past interaction required
- Scales well in tested domains
- But: produces many (dynamic) components
- What about whitewashers? Different churn rates? Hyper-rational or irrational behaviour? Copying links and strategies?

